

B2R塑料外壳式断路器

使用说明书

0463B1687

上海诺雅克电气有限公司

2023年12月

设计文件名称	使用说明书	0463B1687	
产品型号、名称	B2R塑料外壳式断路器	版 本	
		共 1 页	第 1 页

技术要求


1. 使用说明书具体样式见附页
2. “使用说明书”为双面印刷，其文字的字体、大小，图案编排以附页为准，所涉及颜色如下：
 黑色:PANTONE Black C
 灰色:符合VI手册要求
3. 符合Q/NKJ 1600001《产品有害物质含量检测与检测规定》

					编 制		
					校 对		
					标 准 化		
					审 定		
标 记	处 数	更改文件号	签 字	日 期	批 准		

B2R

Miniature Circuit Breaker

1



Installation Instructions

Notice d'installation

Instrucciones de montaje


NOARK

B2R

Single-wire connection

5

 Cable 1	a ≥ 6mm b ≥ 2.8mm
 Wire 1	#14AWG-#8AWG (2.5mm ² -10mm ²)
	20 lb·in (2.3 N·m)



B2R

2



WARNING

DO NOT ATTEMPT TO INSTALL OR PERFORM MAINTENANCE ON EQUIPMENT WHILE IT IS ENERGIZED. DEATH, SEVERE PERSONAL INJURY, OR SUBSTANTIAL PROPERTY DAMAGE CAN RESULT FROM CONTACT WITH ENERGIZED EQUIPMENT. ALWAYS VERIFY THAT NO VOLTAGE IS PRESENT BEFORE PROCEEDING WITH THE TASK, AND ALWAYS FOLLOW GENERALLY ACCEPTED SAFETY PROCEDURES.


NOARK IS NOT LIABLE FOR THE MISAPPLICATION OR MISINSTALLATION OF ITS PRODUCTS

B2R

3


Bus Bar Connection

Mounting Hook




B2R

6



B2R

4



NOARK



In order to protect the environment, when the product or its components are scrapped, please dispose of it as industrial waste or hand it over to the recycling station for disaggregation, recycling and reuse according to relevant national regulations.

Printed with environmentally-friendly paper

Copyright NOARK. All Rights Reserved

www.noark.cn

12/2023