




Valued Quality. Delivered.

Intertek Testing Services Shanghai
Building No.86, 1198 Qinzhou Road (North),
Caohejing Development Zone,
Shanghai 200233, China
Tel:86 21 6127 8200 Fax:86 21 6495 6263

Test Verification of Conformity

On the basis of the referenced test report(s), sample(s) of the below product have been found to comply with the harmonized standards and Directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product.

Once all product relevant  mark directives are verified in compliance, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to product identical to the test sample(s) if the product complies with all relevant CE mark Directives requirements.

Applicant Name & Address	: NOARK Electrics (Shanghai) Co., Ltd. 3857 Sixian Road, Songjiang District, Shanghai P.R.China
Manufacturing Site Name & Address	: NOARK Electrics (Shanghai) Co., Ltd. 3857 Sixian Road, Songjiang District, Shanghai P.R.China
Product(s) Tested	: Surge protective device
Ratings and principal characteristics	: Type 1+2 SPD, partially accessible, with mechanical indicator, with internal thermal disconnecter, with fusible metal Pb/Sn alloy, with signaling contact. See annex for details
Model(s)	: Ex9UE1+2 12.5(R)1P 275, Ex9UE1+2 12.5(R)2P 275, Ex9UE1+2 12.5(R)3P 275, Ex9UE1+2 12.5(R)4P 275, Ex9UE1+2 12.5(R)1PN 275, Ex9UE1+2 12.5(R)3PN 275 (Total 6 models)
Brand name	: NOARK
Relevant Standard(s) / Specification(s) / Directive(s)	: EN 61643-11: 2012 Low Voltage Directive 2006/95/EC (valid until 19 April, 2016) 2014/35/EU (effective from 20 April, 2016)
Verification Issuing Office Name & Address	: Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China
Verification Number	: 151101420SHA-V1
Report Number(s)	: 12110513SHA-001,12110513SHA-001M1

NOTE 1: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.



Oliver Wei
Manager
January 27, 2016



Valued Quality. Delivered.

Intertek Testing Services Shanghai
 Building No.86, 1198 Qinzhou Road (North),
 Caohejing Development Zone,
 Shanghai 200233, China
 Tel:86 21 6127 8200 Fax:86 21 6495 6263

Annex to Test Verification of Conformity

This is an Annex to Test Verification of Conformity with 151101420SHA-V1. The issuing office is Intertek Testing Services Shanghai Building No.86, 1198 Qinzhou Road (North), Shanghai 200233, China

Rating and principal characteristics:

Model	Protected mode	I_{imp} (kA)	I_{max} (kA)	I_n (kA)	U_c (V)	U_p (kV)	I_{scCR} (kA)	LV System	Client declared external disconnector	Combined type
Ex9UE1+2 12.5(R)1P 275	L-PE, alternative L- N,N-PE	12.5	50	25	275	1.5	10	TN	160A gG fuse	1P
Ex9UE1+2 12.5(R)2P 275	L-PE,N-PE	12.5	50	25	275	1.5	10		160A gG fuse	1P
Ex9UE1+2 12.5(R)3P 275	L-PE	12.5	50	25	275	1.5	10		160A gG fuse	3P (3 phase)
Ex9UE1+2 12.5(R)4P 275	L-PE,N-PE	12.5	50	25	275	1.5	10		160A gG fuse	4P (3 phase)
Ex9UE1+2 12.5(R)1PN 275	L-N	12.5	50	25	275	1.5	10	TT,TN and IT	160A gG fuse	1P+N
	N-PE	25	40	30	255	1.5	-		-	
Ex9UE1+2 12.5(R)3PN 275	L-N	12.5	50	25	275	1.5	10		160A gG fuse	3P+N (3phase)
	N-PE	50	50	50	255	1.5	-		-	

NOTE 1: This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Oliver Wei
 Manager
 January 27, 2016